

10/037,655

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3	((format near2 conver\$4) near2 register) and ((compar\$4 or detect\$3) near4 differen\$4) and 'mask' and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 10:00
S1	2	"20030140335"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:52
S2	0	(register near2 format) and ((multi\$3 near2 format) near2 registe\$2) and (source same target) and ((input near2 instruction) same (output near2 instruction)) and (mask\$3 or conver\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:55
S3	0	(register near2 format) and ((multi\$3 near2 format) near2 registe\$2) and (source same target) and ((input near2 instruction) same (output near2 instruction)) and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:56
S4	0	(register near2 format) and ((multi\$3 near2 format) near3 registe\$2) and (source same target) and (input near2 instruction) and (output near2 instruction) and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:57
S5	0	(register near2 format) and ((multi\$3 near2 format) near3 registe\$2) and (source same target) and 'instruction' and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:57

S6	0	(register near3 format) and ((multi\$3 near2 format) near3 registe\$2) and (source same target) and 'instruction' and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:57
S7	12	(register near3 format) and (source same target) and 'instruction' and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 14:08
S8	12	(register near3 format) and (source same target) and ((conver\$4 or chang\$3) near4 register) and (binary near3 translat\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 15:00
S9	29	((format near2 conver\$4) near2 register) and (instruction near2 set) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:25
S10	10	(US-20030140335-\$ or US-20050086650-\$ or US-20040268094-\$ or US-20010023480-\$).did. or (US-6502115-\$ or US-6292815-\$ or US-6266769-\$ or US-6263426-\$ or US-6247116-\$ or US-4949291-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/16 16:23
S11	1	S10 and (((compar\$4 or detect\$3) near2 differen\$3) near4 (register or format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:24
S12	1	S10 and (((compar\$4 or detect\$3) near2 differen\$3) same (register or format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:25

S13	1	S10 and ((compar\$4 or detect\$3) near2 differen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:25
S14	0	((format near2 conver\$4) near2 register) and (instruction near2 set) and (((compar\$4 or detect\$3) near2 differen\$4) near3 (register or format)) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:27
S15	0	((format near2 conver\$4) near2 register) and (instruction near2 set) and ((compar\$4 or detect\$3) near2 differen\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:28
S16	4	((format near2 conver\$4) near2 register) and ((compar\$4 or detect\$3) near2 differen\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:34
S17	14	((format near2 conver\$4) near2 register) and ((compar\$4 or detect\$3) near4 differen\$4) and (@ad < "20020103" or @prad < "20020103" or @rlad < "20020103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 10:00
S18	9	S10 and (access near2 register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 19:43
S19	2	S10 and (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 19:43